

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	7	((("4200770") or ("4405829") or ("4780905") or ("5007082") or ("5327563") or ("4937861") or ("5557674")).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/04 08:43
S3	214	(713/164).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/04 08:58
S4	18	S3 and shut near down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 08:47
S5	92	shut near down same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 08:47
S6	253	(713/330).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/04 09:00
S7	5	S6 and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:00
S8	900	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/04 09:00
S9	715	S8 and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:00
S10	131	S8 and encrypt\$4 same ((shut near down) power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:03
S11	0	encrypt\$4 near shut near down and decrypt\$4 same start near up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:05
S12	0	encrypt\$4 near shut near down and decrypt\$4 same power near on	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:06

S13	11	encrypt\$4 near5 shut near down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:06
S14	92	encrypt\$4 same shut near down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:48
S15	0	decrypt\$4 same power near on	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:07
S16	89	decrypt\$4 same ((start adj up) (power near3 on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:08
S17	4	S14 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:08
S18	89	decrypt\$4 same ((start adj up) (power near5 on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 09:08
S20	1	content near protection same ((shut near down) (power near off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:18
S21	3271	protection same ((shut near down) (power near off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:18
S22	16	S21 same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:26
S23	3619	(CROMER near DARYL) (ELLISON near BRANDON) (LOCKER near HOWARD) (SPRINGFIELD near RANDALL) (WARD near JAMES)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:28

S24	43	S23 and encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:28
S25	157	encrypt\$4 same ((shut near down) (power near off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:50
S26	89	decrypt\$4 same ((start adj up) (power near5 on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:49
S27	4	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:51
S28	268	encrypt\$4 same ((shut near down) (power near5 off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:50
S29	5	S28 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:57
S30	1275	(hard adj (drive disk disc)) near5 protect\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 10:58
S31	76	S30 same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:03
S32	11	S30 same encrypt\$4 same (boot (start adj up) (power near5 on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:10
S33	685	encrypt\$4 same (boot (start adj up) (power near5 on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:24

S34	361	S33 and (hard adj (drive disk disc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:25
S35	181	S34 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:25
S36	144	S35 and decrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:25
S37	347	decrypt\$ same (boot (start adj up) (power near5 on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:24
S38	199	S37 and (hard adj (drive disk disc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:25
S39	191	S38 and encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:25
S40	92	S39 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:25
S41	8	steal near3 (hard adj (drive disk disc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:26
S42	8	steal\$ near3 (hard adj (drive disk disc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:26
S43	2	encrypt\$ near shut adj down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:08

S44	8	encrypt\$ near5 shut adj down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:09
S45	4	encrypt\$ near5 power adj down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:09
S46	1	encrypt\$ near5 power adj off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:10
S47	13	encrypt\$ near5 power\$4 near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:24
S48	21	encrypt\$ near7 power\$4 near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:27
S49	215	encod\$ near7 power\$4 near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:27
S50	137	encod\$ near5 power\$4 near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:27
S51	101	encod\$ near3 power\$4 near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:31
S52	0	encod\$ near data near3 power\$4 near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:32
S53	2	encod\$ near3 data near3 power\$4 near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:33

S54	2	encod\$ near data near7 power\$4 near3 off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:33
S56	95	encrypt\$ same power\$5 near off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:52
S57	197	encrypt\$ same (shut\$6 near (down off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:53
S58	29	encrypt\$ near5 (shut\$6 near (down off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:55
S59	95	encrypt\$ near5 boot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 15:55
S60	1	JP2001202167A	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 17:46
S61	2	"2001202167"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 17:46
S62	0	encrypt\$ near7 request near power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 07:34
S63	7	encrypt\$ near7 request near (power shut boot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 07:35
S64	4	encrypt\$ with request near (power shut boot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 07:36

S65	1855	encrypt\$ with (power shut boot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 07:36
S66	73	encrypt\$ with ((power shut boot) near (off down))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 07:36
S67	5	replace near encrypt\$ near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:15
S68	19	replace near3 encrypt\$ near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:16
S69	6	replace near encrypt\$ near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:17
S70	21	replace near3 encrypt\$ near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 10:34
S71	2	overwrite near3 encrypt\$ near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 10:34
S72	3	encrypt\$ same (((file adj allocation adj table) AND (boot adj record)) ((NTFS near3 array) AND (meta near data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:11
S73	76	((file adj allocation adj table) same (boot adj record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 12:35
S74	0	((NTFS near3 array) same (meta near data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:12

S75	0	((NTFS near3 array) same (meta near3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:12
S76	0	((NTFS near5 array) same (meta near3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:12
S77	3	(NTFS near5 array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:13
S78	4	(NTFS with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:13
S79	28	(NTFS same array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:14
S80	40	(NTFS with master near file near table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:16
S81	1	(NTFS with master near file near table) same encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:17
S82	8	(NTFS with master near file near table) same meta\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:18
S83	3	(NTFS with master near file near table) same meta\$6 same array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:19
S84	2	S73 same encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:20



S85	3284	encrypt\$ with character\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 12:38
S86	6	encrypt\$ with character\$7 with (data near structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 12:39
S87	9	encrypt\$ near5 character\$7 same (data near structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 12:39